


Christie DWU1052-Q lens throw ratios

The following table details the information required to calculate the lens throw ratios for the Christie DWU1052-Q projectors.

Zoom lens	Throw distance formula		Vertical and horizontal offset	Diagonal screen sizes	
	Imperial (in)	Metric (cm)		Imperial (in)	Metric (cm)
0.8-1.0:1 zoom (121-118101-XX)	TDmin = 0.78 x W + 2.68	TDmin = 0.78 x W + 6.80	+140.3 /- 53.3 V	50 to 600	127 to 1524
	TDmax = 0.97 x W + 2.81	TDmax = 0.97 x W + 7.14	+27.3 /- 25.7 H		
1.1-1.7:1 zoom (121-119102-XX)	TDmin = 1.18 x W + 1.45	TDmin = 1.18 x W + 3.68	+140.7 /- 54.1 V	50 to 600	127 to 1524
	TDmax = 1.75 x W + 1.80	TDmax = 1.75 x W + 4.58	+27.4 /- 26.0 H		
1.6-2.4:1 zoom—standard lens (121-120104-XX/121-134109-XX)	TDmin = 1.65 x W + 0.96	TDmin = 1.65 x W + 2.44	+140.5 /- 54.6 V	50 to 600	127 to 1524
	TDmax = 2.47 x W + 1.22	TDmax = 2.47 x W + 3.10	+27.4 /- 25.9 H		
2.4-3.6:1 zoom (121-122106-XX)	TDmin = 2.43 x W + 0.72	TDmin = 2.43 x W + 1.83	+140.0 /- 54.6 V	50 to 600	127 to 1524
	TDmax = 3.69 x W + 1.21	TDmax = 3.69 x W + 3.08	+27.7 /- 26.0 H		
3.5-5.6:1 zoom (121-123107-XX)	TDmin = 3.56 x W - 1.88	TDmin = 3.56 x W - 4.77	+140.2 /- 54.4 V	50 to 600	127 to 1524
	TDmax = 5.72 x W - 1.81	TDmax = 5.72 x W - 4.60	+27.4 /- 26.0 H		
5.5-8.8:1 zoom (121-124108-XX)	TDmin = 5.45 x W + 11.40	TDmin = 5.45 x W + 28.96	+139.8% /- 54.0 V	50 to 600	127 to 1524
	TDmax = 8.70 x W + 12.49	TDmax = 8.70 x W + 31.72	+27.3% /- 25.9 H		

Ultra short throw lens	Throw distance formula		Vertical and horizontal offset	Diagonal screen sizes	
	Imperial (in)	Metric (cm)		Imperial (in)	Metric (cm)
0.38:1 fixed (121-127101-XX)	A2 = 0.2979 x Diagonal - 25.5855 B2 = 0.1720 x Diagonal + 4.9786	A2 = 0.76 x Diagonal - 64.99 B2 = 0.44 x Diagonal + 12.65	+13.3.0 /- 13.8 V +11.6 /- 11.6 H	100 to 350	254 to 889



- H Horizontal width of the screen
 V Vertical width of the screen
 A1 Reflecting mirror surface to screen
 A2 Projector front end to screen
 A3 Projection window center to screen
 A5 Lens front end to screen
 B1 Projector top to bottom edge of screen
 B2 Projector bottom to bottom edge of screen

- Throw distance measured from the center of the front foot of the projector.
- All lenses are made of glass.
- Calculated throw distance (TD) values are subject to a +/- 5% tolerance for individual lens variation.
- Calculated offset values are subject to a +/- 7% centering tolerance.