







REVISION HISTORY OF: 020-100509-01			
REV	DESCRIPTION OF CHANGE	BY	REV DATE
01	INITIAL RELEASE	JT	12/04/2009
02	UPDATED TITLEBLOCK TO LATEST TEMPLATE. UPDATED ALTITUDE REQUIREMENTS	JT	12/08/2009
03	UPDATED POWER REQUIREMENT AND HEAT LOAD VALUES	PT	06/17/2011






SEE LENS CHART

LENS	DIMENSION
1.25-1.45	356.9 [14.05]
1.25-1.83	374.9 [14.75]
1.45-1.8	305.2 [12.02]
1.45-2.05	329.5 [12.97]
1.6-2.4	326.2 [12.84]
1.8-2.4	293.5 [11.56]
1.8-3.0	237.9 [9.37]
2.15-3.6	240.6 [9.47]
2.2-3.0	249.0 [9.80]
3.0-4.3	293.9 [11.57]
4.3-6.0	366.2 [14.42]
5.5-8.5	412.1 [16.22]

GENERAL NOTES:

- MASS: 116 kg (256 lbs) NO LENS
- AMBIENT AIR TEMPERATURE: 35°C (95°F) MAX.
- EXHAUST REQUIREMENTS: 600 cfm @ 25°C (77°F) - 35°C (95°F) OR ALTITUDE: > 3000 FT
- 450 cfm @ 10°C (50°F) - 25°C (77°F) AND ALTITUDE: 0 - 3000 FT
- POWER REQUIREMENTS: SINGLE PHASE 220 V, 30 AMP BREAKER SINGLE PHASE 100-240 V, 15 AMP (UPS)
- POWER CONSUMPTION: 4.5 kW max
- ROOM HEAT LOAD: 4,800 BTU/h max*
- EXHAUST HEAT LOAD: 11,100 BTU/h max*
- * HEAT LOAD VALUES BASED ON 3kW LAMP RUNNING AT 100%
- TILT ANGLE: 15° MAX. BACK TO FRONT (REAR FEET ADJUSTMENT)

UNITS INCHES MILLIMETRES UNLESS OTHERWISE SPECIFIED INTERFERE DIMENSIONS AND TOLERANCES PER ASME Y14.5M-1994 TOLERANCES APPLY AS SHOWN BELOW DECIMAL PLACES INCHES MILLIMETRES .XXX ±.013 ±.14 .XX ±.010 ±.13 .X ±.008 ±.13 ANGULAR DIMENSIONS XX' ±.01 50.8' XX' ±.01 50.8'	DRAWN BY: P. SAVOIE DRAWN DATE: 06/17/2011 APPROVED BY: E. VOLOS APPROVAL DATE: 06/20/2011 PROPRIETARY NOT TO BE DISCLOSED OR REPRODUCED IN ANY MANNER WITHOUT THE EXPRESS WRITTEN PERMISSION OF CHRISTIE THIRD ANGLE PROJECTION	PART DESCRIPTION CHRISTIE USA, INC. CHRISTIE DIGITAL SYSTEMS CANADA, INC. DWG LINE CP2220 PART NUMBER 020-100509-01 SCALE: 1:5 MASS: 174.584 LBS [79.190 KG] SHEET 1 OF 2
--	--	--



LENS	DIMENSION
1.45-1.8	463.9 [18.26]
1.8-2.4	452.2 [17.80]
2.2-3.0	407.7 [16.05]
3.0-4.3	452.6 [17.81]

